

## 445 VARIANT ACCESS POINT – NAME/COLLECTIVE TITLE

### Field Definition and Scope

Variant or non-preferred form of the name/collective title in field 245.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

In some cases, this field may refer to another 2-- field following the subject system in use by the agency.

### Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
445	VARIANT ACCESS POINT – NAME/COLLECTIVE TITLE	R	O
Subfields: Embedded Fields Technique			
1	Linking Data	R	MA
0	Instruction Phrase	NR	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
5	Relationship Control	NR	O
6	Interfield Linking Data	NR	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O
Subfields: Standard Subfields Technique			
a	Name	NR	MA
t	Collective Title	NR	MA
j	Form Subdivision	R	O
x	Topical Subdivision	R	O
y	Geographical Subdivision	R	O
z	Chronological Subdivision	R	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O

### Indicators

Indicator	Value	Description
1	#	blank (not defined)
2	#	blank (not defined)

### Subfields Description

#### A) Subfields: Embedded Fields Technique

##### \$1 Linking Data

See specification of [Control Subfield 1](#).

Contains the tag and indicator values of the embedded fields, without spacing or punctuation. Repeatable.

**\$0 Instruction Phrase**

See specification of [Control Subfield 0](#). Not repeatable.

**\$2 Source**

See specification of [Control Subfield 2](#). Not repeatable.

Use for identification code of a subject system or a cataloguing rules that differ from the system in subfield 152b, and in which the variant access point appears.

**\$3 Authority Record Identifier or Standard Number**

See specification of [Control Subfield 3](#). Not repeatable.

Use for the control number identifier of the related reference record that is used for display in preference to generating a display from the 445. Subfield \$3 may be used when the field also contains subfields \$2 and \$5 in which character position 1 contains value “0”.

**\$5 Relationship Control**

See specification of [Control Subfield 5](#). Not repeatable.

**\$6 Interfield Linking Data**

See specification of [Control Subfield 6](#). Repeatable.

**\$7 Script of Cataloguing and Script of the Base Access Point**

See specification of [Control Subfield 7](#). Not repeatable.

**\$8 Language of Cataloguing and Language of the Base Access Point**

See specification of [Control Subfield 8](#). Not repeatable.

**Notes on Field Contents**

Each element is coded according to the 2-- field appropriate to the element: 200, 210, 215, or 220 for the name; and a 235 for the collective title. The tag, indicators, and data for the name and title of these are embedded in a field 445, with each preceded by subfield identifier \$1.

When control subfields are needed, they should precede the first \$1 subfields containing embedded data.

**B) Subfields: Standard Subfields Technique****\$a Name**

Name of the person, corporate body or family with primary intellectual responsibility for the item registered in subfield \$t.

When subfield \$a is a composite of more than one standard subfield use ISBD punctuation to separate the elements. Not repeatable.

**\$t Collective Title**

Title proper of a bibliographic item containing several works by one or more authors issued in a single volume or uniform set.

When subfield \$t is a composite of more than one standard subfield use ISBN punctuation to separate the elements. Not repeatable.

**\$j Form Subdivision**

Term added to a subject access point to further specify the kind(s) or genre(s) of material.

Agencies not using this subdivision should use \$x instead. Repeatable.

**\$x Topical Subdivision**

Term added to a subject access point to specify further the topic that the access point represents.

Repeatable.

**\$y Geographical Subdivision**

Term added to a subject access point to specify a place in relation to the name/collective title which the subject access point represents.

Repeatable.

**\$z Chronological Subdivision**

Term added to a subject access point to specify the period in time in relation to the name/collective title that the access point represents.

Repeatable.

**\$7 Script of Cataloguing and Script of the Base Access Point**

See specification of [Control Subfield 7](#). Not repeatable.

**\$8 Language of Cataloguing and Language of the Base Access Point**

See specification of [Control Subfield 8](#). Not repeatable.

**Related Fields**

245 AUTHORIZED ACCESS POINT – NAME/COLLECTIVE TITLE
---

**Examples**

EX 1
245 ##\$1200#1\$aShakespeare,\$bWilliam,\$f1564-1616.\$12350#\$aWorks.\$mRussian
445 ##\$1200#1\$aShakespeare,\$bWilliam,\$f1564-1616.\$12350#\$aWorks.\$mUkrainian
Example of the embedded fields technique.
EX 2
245 ##\$aShakespeare, William, 1564-1616\$tWorks. Russian
445 ##\$aShakespeare, William, 1564-1616\$tWorks. Ukrainian
Example of the standard subfields technique.
EX 3
245 ##\$1200#0\$aРафаэль Санти\$f1483 – 1520\$12350#\$aФрески
445 ##\$1400#0\$aРафаэль Санцио\$f1483 – 1520\$12350#\$aФрески

**History**

2009	Changes in name and function: B) Subfields: Standard subfields technique, \$a Name.
2009	Changes in terminology.
2009	Change to status: A) Subfields: Embedded Fields Technique, 2-- embedded fields.
2024	Text edit.