502 RELATED ACCESS POINT – PERSONAL NAME WITH RESPONSIBILITY FOR THE EXPRESSION

Field Definition and Scope

Authorized form of the personal name related to the expression entity in the 2-- field.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

The field contains a personal name formulated in accordance with the descriptive cataloguing rules in use by the agency which creates it, related to the access point in the 2-- field of the linked authority record, except for subfield \$r (see full description under UNIMARC Bibliographic Manual, Fields 702, 712, and 722).

This field is intended for catalogues that comply with the FRBR/IFLA LRM model.

This field is used only for agent related to the expression. If explicit information regarding the relationship between the agent and the expression is needed, use the value "b" in the control subfield \$5 pos. 4.

Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
502	RELATED ACCESS POINT – PERSONAL NAME	R	О
	WITH RESPONSIBILITY FOR THE EXPRESSION		
a	Entry Element	NR	MA
b	Part of Name Other than Entry Element	NR	О
С	Additions to Names Other than Dates	R	О
d	Roman Numerals	NR	О
f	Dates	NR	О
g	Expansion of Initials of Forename	NR	О
r	Part or Role Played (Operas, Theatrical Performances,	R	О
	Etc.)		
0	Instruction Phrase	NR	О
2	Source	NR	О
3	Authority Record Identifier or Standard Number	NR	О
4	Relator Code	R	О
5	Relationship Control	NR	О
6	Interfield Linking Data	NR	О
7	Script of Cataloguing and Script of the Base Access	NR	О
	Point		
8	Language of Cataloguing and Language of the Base	NR	О
	Access Point		
R	Real World Object	O	R

Indicators

Indicator	Value	Description
1	#	blank (not defined)
2		Specifies the Way the Name is Entered
	0	Name entered under forename or direct order
	1	Name entered under surname

Subfields Description

\$a Entry Element

Portion of the name used as the entry element in the access point; that part of the name by which the name is entered in ordered lists.

This subfield must be present when the field is present. Not repeatable.

\$b Part of Name Other than Entry Element

Remainder of the name, used when the entry element is a surname or family name.

It contains forenames and other given names.

The form of name indicator should be set to 1 when this subfield is used. Printing expansions of initials should be entered in \$g. Not repeatable.

\$c Additions to Names Other than Dates

Any additions to names (other than dates) which do not form an integral part of the name itself including titles, epithets or indications of office.

Repeatable for second or subsequent occurrences of such additions.

\$d Roman Numerals

Roman numerals associated with names of certain popes, royalty and ecclesiastics.

If an epithet (or a further forename) is associated with the numeration, this too should be included. The form of name indicator should be set to 0 when this subfield is used. Not repeatable.

\$f Dates

Dates attached to personal names together with abbreviations or other indications of the nature of the dates.

Any indications of the type of date (e.g., flourished, born, died) should be entered in the subfield in full or abbreviated form. All the dates for the person named in the field should be entered in \$f. Not repeatable.

\$g Expansion of Initials of Forename

Full form of forenames when initials are recorded in subfield \$b as the preferred form and when both initials and the full form are required.

Not repeatable.

\$r Part or Role Played (Operas, Theatrical Performances, Etc.)

Repeatable.

\$0 Instruction Phrase

See specification of <u>Control Subfield 0</u>. Not repeatable.

\$2 Source

See specification of Control Subfield 2. Not repeatable.

\$3 Authority Record Identifier or Standard Number

See specification of Control Subfield 3. Not repeatable.

\$4 Relator Code

See specification of <u>Control Subfield 4</u>. Repeatable.

\$5 Relationship Control

See specification of <u>Control Subfield 5</u>. Not repeatable.

\$6 Interfield Linking Data

See specification of <u>Control Subfield 6</u>. Not repeatable.

\$7 Script of Cataloguing and Script of the Base Access Point

See specification of Control Subfield 7. Not repeatable.

\$8 Language of Cataloguing and Language of the Base Access Point

See specification of Control Subfield 8. Not repeatable.

\$R Real World Object URI

See specification of Control Subfield 3. Repeatable.

Related Fields

154 CODED DATA FIELD: TITLE
232 AUTHORIZED ACCESS POINT – TITLE (EXPRESSION)
242 AUTHORIZED ACCESS POINT – NAME/TITLE (EXPRESSION)
512 RELATED ACCESS POINT – CORPORATE BODY NAME WITH RESPONSIBILITY FOR
THE EXPRESSION
522 RELATED ACCESS POINT – FAMILY NAME WITH RESPONSIBILITY FOR THE
EXPRESSION

Examples

EX 1
242 #1\$3FRBNF147158759\$aBizet, Georges (1838-1875)\$tCarmen\$hActe 2, n° 17\$i≠NSB≠La
≠NSE≠fleur que tu m'avais jetée\$nMusique interprétée\$o1995\$wAlagna\$wArmstrong\$wLondon
Philharmonic
502 #1\$3FRBNF139819374\$aAlagna\$bRoberto\$f1963\$rDon José\$4721\$4vte
502 #1\$3FRBNF138908852\$aArmstrong\$bRichard\$f1943\$4250
512 02\$3FRBNF139047022\$aLondon philharmonic orchestra\$4545\$4oun

History

2012	New field.
2023	Changed definition, scope, and the name of the field. Deleted section Notes on Field Contents.
2024	Text edit. New subfield \$R.