

510 RELATED ACCESS POINT – CORPORATE BODY NAME

Field Definition and Scope

Authorized form of the corporate body name related to the access point in the 2-- field.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

When a corporate body name is part of “name/title or collective title”, the field 500 should hold a control subfield \$5, pos. 4.

When a corporate body is associated with the work, field 510 is used for the name of the corporate body with the primary intellectual responsibility for the work. This field should hold a \$5 subfield with value “a” on character position 4.

Repeatable for each subsequent corporate body name.

Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
510	RELATED ACCESS POINT – CORPORATE BODY NAME	R	O
a	Entry Element	NR	MA
b	Subdivision	R	O
c	Addition to Name or Qualifier	R	O
d	Number of Meeting and/or Number of Part of Meeting	NR	O
e	Location of Meeting	NR	O
f	Date of Meeting	NR	O
g	Inverted Element	NR	O
h	Part of Name Other than Entry Element and Inverted Element	NR	O
o	International Standard Name Identifier (ISNI)	R	O
j	Form Subdivision	R	O
x	Topical Subdivision	R	O
y	Geographical Subdivision	R	O
z	Chronological Subdivision	R	O
0	Instruction Phrase	NR	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
4	Relator Code	R	O
5	Relationship Control	NR	O
6	Interfield Linking Data	NR	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O
R	Real World Object	O	R

Indicators

Indicator	Value	Description
1		Specifies the Type of Corporate Body

	0	Corporate name
	1	Meeting
2		Specifies the Way the Names are Entered
	0	Name in inverted form
	1	Name entered under place or jurisdiction
	2	Name entered under name in direct order

Indicators Description

Indicator 1: Specifies the Type of Corporate Body

The first indicator specifies whether the corporate body is a meeting or not. Meetings include conferences, symposia, etc. If the name of the meeting is a subdivision of the name of a corporate body, the name is regarded as that of a corporate body. If the source format does not distinguish meeting names from other corporate names, the indicator position should contain the fill character.

Subfields Description

\$a Entry Element

Portion of the name used as the entry element in the access point; that part of the name by which the name is entered in ordered lists; i.e., the part of the name up to the first filing boundary.

This subfield is not repeatable but must be present if the field is present.

\$b Subdivision

Name of a lower level in a hierarchy when the name includes a hierarchy; or the name of the corporate body when it is entered under place.

This subfield excludes additions to the name added by the cataloguer to distinguish it from other institutions of the same name (see \$c, \$g, \$h). Repeatable if there is more than one lower level in the hierarchy.

\$c Addition to Name or Qualifier

Addition to the name of the corporate body added by the cataloguer, other than number, place and date of conference.

Repeatable.

\$d Number of Meeting and/or Number of Part of Meeting

Number of a meeting when the meeting belongs to a numbered series.

Not repeatable.

\$e Location of Meeting

Place where a meeting was held when it is required as part of the access point.

Not repeatable.

\$f Date of Meeting

Date of a meeting when it is required as part of the access point.

Not repeatable.

\$g Inverted Element

Any part of the name of the corporate body which is removed from the beginning of the name in order to enter the body under a word which is more likely to be sought. Not repeatable.

This subfield is more commonly used in variant access points. (EX [5](#))

\$h Part of Name Other than Entry Element and Inverted Element

Part of the name following the inversion in a access point with an inverted element.

Not repeatable.

\$o International Standard Name Identifier (ISNI)

The subfield \$o (International Standard Name Identifier) is used in field 510 to record the ISNI of the related identity. When the preferred access point of an authority record that contains field 010 is transferred to the 500/510/520 access point of another record (while establishing a link between both authority records), the number contained in the 010 field of the first record will also be transferred in a devoted subfield \$o. Repeatable.

Repeatable.

\$j Form Subdivision

Term added to a subject access point to further specify the kind(s) or genre(s) of material.

Agencies not using this subdivision should use \$x instead. Repeatable.

\$x Topical Subdivision

Term added to a subject access point to further specify the topic the subject access point represents.

Repeatable.

\$y Geographical Subdivision

Term added to a subject access point to specify a place in relation to a corporate body which the subject access point represents.

Repeatable.

\$z Chronological Subdivision

Term added to a subject access point to specify the period in time in relation to a corporate body which the subject access point represents.

Repeatable.

\$0 Instruction Phrase

See specification of [Control Subfield 0](#). Not repeatable.

\$2 Source

See specification of [Control Subfield 2](#). Not repeatable.

\$3 Authority Record Identifier or Standard Number

See specification of [Control Subfield 3](#). Not repeatable.

\$4 Relator Code

See specification of [Control Subfield 4](#). Repeatable.

\$5 Relationship Control

See specification of [Control Subfield 5](#). Not repeatable.

\$6 Interfield Linking Data

See specification of [Control Subfield 6](#). Not repeatable.

\$7 Script of Cataloguing and Script of the Base Access Point

See specification of [Control Subfield 7](#). Not repeatable.

\$8 Language of Cataloguing and Language of the Base Access Point

See specification of [Control Subfield 8](#). Not repeatable.

\$R Real World Object URI

See specification of [Control Subfield 3](#). Repeatable.

Notes on Field Contents

In fields 500, 510, 520, and 241 the code in the subfield \$4 used to designate the relationship between the person, corporate body, or family named in the field and the work or expression to which the record refers. In fields 500, 510, and 520, subfield \$4 should be used only when subfield \$5 character position 4 is set to value “a” (creator). Compare \$5/4 Relationship Code Between Agents and a Work or an Expression. The relator codes can be either numerical or alphabetical. The list of numerical codes is to be found in the UNIMARC/Bibliographic format, Appendix B. If greater precision in 500 is required for performers, the alphabetical codes that have been designed for field 146 (UNIMARC/Bibliographic format) can be used in subfield \$4. The list of codes values is found in the IAML web site <http://www.iaml.info/activities/cataloguing/unimarc/medium>. An agency requiring greater precision should use the numeric code followed by the more specific alphabetic code in a repeated subfield.

Related Fields

210 AUTHORIZED ACCESS POINT – CORPORATE BODY NAME

Examples

EX 1
210 01\$aGreat Britain.\$bBoard of Trade
510 01\$5b\$aGreat Britain.\$bDepartment of Trade and Industry
510 01\$5b\$aGreat Britain.\$bDepartment of Trade
EX 2
210 02\$aAmerican Material Handling Society
510 02\$5b\$aInternational Material Management Society
EX 3
210 12\$aMeeting in the Matter of Pollution of Lake Erie and Its Tributaries
510 12\$5a\$aConference in the Matter of Pollution of Lake Erie and Its Tributaries
EX 4
216 ##\$aDanone\$cmarque
510 02\$3<AR_ID>\$aDanone
510 02\$3<AR_ID>\$aCompagnie Gervais Danone
300 0#\$aMarque des différentes firmes du groupe Gervais

In this record there are related access points between the trademark (indicated in field 216) and two different firms of the Gervais Group (indicated in fields 510).

EX 5

210 02\$aРоссийская государственная библиотека

510 02\$5a\$aГосударственная библиотека СССР им. В.И.Ленина

EX 6

210 02\$aВсероссийский НИИ растениеводства им. Н. И. Вавилова\$cСанкт-Петербург

305 0#\$aС 1930 по 1992 гг. см. в каталоге:\$bВНИИ растениеводства им. Н. И. Вавилова (Ленинград)

305 0#\$aДо 1930 г. см. в каталоге:\$bВсесоюзный институт прикладной ботаники и новых культур (Ленинград)

410 02\$5z\$aИнститут растениеводства им. Н. И. Вавилова\$cСанкт-Петербург

510 02\$5a0\$aВсесоюзный институт прикладной ботаники и новых культур\$cЛенинград

510 02\$5a0\$aВНИИ растениеводства им. Н. И. Вавилова\$cЛенинград

EX 7

250 ##\$aБереговые батареи\$yГермания

510 02\$5h\$a≠NSB≠”≠NSE≠Мирус≠NSB≠”≠NSE≠, батарея

History

2009	Updated definition/scope: Indicator 1.
2012	Additional subfields to field.
2012	Updated definition/scope: Field Definition, Occurrence.
2012	Updates.
2016	Updates.
2019	Editorial changes, added text from the restructured section Control Subfields, subfield \$4.
2023	Changed definition and scope.
2024	Text edit. New subfield \$R.